





D.E.C.T 703

Digital Enhanced Cordless Telecommunications

Wireless Multi-Button Intercom!




- Digital D.E.C.T wireless intercom system for flats, apartments or shared gate entrances.
- Up to 4 call buttons, each button calling a different handset.
- Working range of 200 metres through concrete (up to 400 metres open field).
- 1 handset per property or apartment.
- Simple setup and install.
- Keypad for coded access (Panels with built in prox reader available).
- Built in voicemail feature for missed callers, user can listen to messages on handset.











Technical Details			
Power Supply	24v ac/dc (24v dc 2A adaptor included).	Cable Between Speech Unit & Transmitter	4 metre screened CAT5 included.
Current Draw	50mA standby, 1 amp peak.	Max Cable Length	8 metres max.
Relay Outputs	2	Cable Cores	2 x SPK, 2 x MIC, 2 x button, 2 x relay, 2 x power.
Relay Time	Adjustable, 1,3,5,9 secs.	Speech Unit IP Rating	IP55.
Relay Load	Max 2 amps, 24v ac.	Transmitter IP Rating	IP65.
Technology Type	Digital DECT.	Manufacturer Warranty	2 years* (RTB).
Handsets per System	4	Keypad Programming	On the keypad.
Range	Practical working range of 200 metres. 400 metres open field conditions.	Keypad Codes	1200. (Total count of memory locations across 3 separate relays)







Area code: EU (Europe) US (USA) AU (Australia & NZ)

703-IBK2-EU



2 button kit with 2 handsets, hooded panel with keypad.

703-HF-IBK2-EU



2 button kit with 2 wall mount monitors, hooded panel with keypad.

703-IBK3-EU



3 button kit with 3 handsets, hooded panel with keypad.

703-HF-IBK3-EU



3 button kit with 3 wall mount monitors, hooded panel with keypad.

703-IBK4-EU



4 button kit with 4 handsets, hooded panel with keypad.

703-HF-IBK4-EU




4 button kit with 4 wall mount monitors, hooded panel with keypad.


*Prox panels available







Additional handsets (up to total of 4 max per intercom, which can be a mix and match of both styles.)



Additional handsets (up to total of 4 max per intercom, which can be a mix and match of both styles.)

703 Call Panel Dimensions PROX/NON PROX

